



## NATURAL LIMESTONE M4 Class Mortar within 1km of a coastline or within 100m of an estuary



	C	L	S (mix ratios by volume)	
Mix Ratio For Facing Mortar M4	1	0.5	4.5	Cockburn Creme & Hylime or Cockburn Grey & Hylime
	1	0	3	Brickies Lite Coastal M4 Cement (already contains lime)
Mix Ratio for Bedding Mortar M2	1	2	9	Cockburn Creme & Hylime or Cockburn Grey & Hylime

Note: Only use clean damp bricklaying sand. Final mortar colour will depend on mix ratio and the sand colour.

## NATURAL LIMESTONE M3 Class Mortar 1km to 10km from coast



	C	L	S (mix ratios by volume)	
Mix Ratio For Facing Mortar M3	1	1	6	Cockburn Creme & Hylime or Cockburn Grey & Hylime
	1	0	3	Brickies Lite (already contains lime)
Mix Ratio for Bedding Mortar M2	1	2	9	Cockburn Creme & Hylime or Cockburn Grey & Hylime

Note: Only use clean damp bricklaying sand. Final mortar colour will depend on mix ratio and the sand colour.